Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	((buffer near3 (full or full\$4 or overflow))near5 (determin\$5 or detect\$4 or identify\$4))same ((power or energy)near3 (consum\$5 or conserv\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:01
L2	2	"6622091".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:13
L3	5	("4553223"   "5671099"   "5778420"   "5905899"   "6065124").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 07:34
L4	3	("5210829"   "5412780"   "5603058").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 07:29
L5	28	("5412780" ).uref.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 07:29
L6	0	I5 and ((buffer near3 (full or full\$4 or overflow))near5 (determin\$5 or detect\$4 or identify\$4))and ((power or energy)near3 (consum\$5 or conserv\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:35
L7	3	I5 and ((buffer near3 (full or full\$4 or overflow))near5 (determin\$5 or detect\$4 or identify\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:30
L8	17	("5778420" ).uref.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 07:37
L9	1	I8 and ((buffer near3 (full or full\$4 or overflow))near5 (determin\$5 or detect\$4 or identify\$4))and ((power or energy)near3 (consum\$5 or conserv\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:35
L10	0	("6332196").uref.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 07:37

L11	28	(((buffer near3 (full or full\$4 or overflow))near5 (determin\$5 or detect\$4 or identify\$4))same (clock near3 (speed or rate)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:59
L12	0	l11 same ((power or energy)near3 (consum\$5 or conserv\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:01
L13	5	I11 and ((power or energy)near3 (consum\$5 or conserv\$5 or utiliz\$5 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:01
L14	5	I11 and ((power or energy)near3 (consum\$5 or conserv\$5 or utiliz\$5 or usage or sav\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:02
L15	1	((adjust\$4 or chang\$4 or alter\$5 or control\$4 or switch\$4)near3(clock near3 (frequenc\$3 or speed or rate)))with (((buffer near3 (full or full\$4 or overflow or stat\$3))near5 (determin\$5 or detect\$4 or identify\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:04
L16	1	((adjust\$4 or chang\$4 or alter\$5 or control\$4 or switch\$4 or modif\$4)near3(clock near3 (frequenc\$3 or speed or rate)))with (((buffer near3 (full or full\$4 or overflow or stat\$3))near5 (determin\$5 or detect\$4 or identify\$4))same (clock near3 (speed or rate)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:04
L17	9	((adjust\$4 or chang\$4 or alter\$5 or control\$4 or switch\$4 or modif\$4)near3(clock near3 (frequenc\$3 or speed or rate)))same (((buffer near3 (full or full\$4 or overflow or stat\$3))near5 (determin\$5 or detect\$4 or identify\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:35

L18	19	((adjust\$4 or chang\$4 or alter\$5 or control\$4 or switch\$4 or modif\$4)near5(clock near3 (frequenc\$3 or speed or rate)))same (((buffer near3 (full or full\$4 or overflow or stat\$3))near5 (determin\$5 or detect\$4 or identify\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:36
L19	57	or control\$4 or switch\$4 or modif\$4)near5(clock near3 (frequenc\$3 or speed or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 10:42